KARNAGE CONSTRUCTION SASHLOCK OPTIONS

SRS CLASSIC SASHLOCK





LAQUERED BRASS



BRUSHED NICKEL



OIL RUBBED
BRONZE



POLISHED NICKEL



DIMENSIONS:

LATCH BASE: 2 7/8" X 5/8" CATCH BASE: 2 7/8" X 3/8"

SCREW HOLES, CENTER TO CENTER: 2 3/8 "

SOLID BRASS EASTLAKE STYLE SASH LOCK



POLISHED, ANTIQUE, OR UN-LAQUERED BRASS DIMENSIONS. LATCH BASE: 2" L X 1 1/4" W. CATCH BASE: 2" L X 5/8" W.

ALSO AVAILABLE IN CAST IRON LAQUERED OR MATTE BLACK

FLORAL VICTORIAN SASH LOCK

IN POLISHED BRASS, WEATHERED BRONZE,
OR ANTIQUE BY HAND FINISH
DIMENSIONS. LATCH BASE: 2 3/4" L X 1" W.
CATCH BASE: 2 3/4" L X 1" W.



ALSO AVAILABLE IN CAST IRON LAQUERED OR MATTE BLACK





ANTIQUE BRASS, OIL RUBBED BRONZE, SATIN NICKEL, POLISHED NICKEL, POLISHED BRONZE, UN-LAQUERED BRASSD IMENSIONS: LATCH BASE: 1 1/2" H X 1 7/8" W. LIFT PROJECTS 1 3/8".

STRIKE: 11/16" D X 1 7/8" W PROJECTS 9/16".

MOUNTED WITH FOUR 1" SLOTTED WOOD SCREWS.

COMMERCIAL STYLE CAST BRASS SASH LOCK

ANTIQUE BRASS, OIL RUBBED BRONZE, POLISHED BRASS,
POLISHED NICKEL, SATIN NICKEL, UN-LAQUERED BRASS, WEATHERED BRONZE
DIMENSIONS. LATCH BASE: 2 5/8" L X 15/16" W.
CATCH BASE: 2 5/8" L X 3/4" W.




PLAIN CAST IRON SASH WINDOW LOCK



DIMENSIONS. LATCH
BASE: 2 1/2" L X 1" W.
CATCH BASE: 2 9/16" L
X 9/16" W.



PLATED ALUMINUM WINDOW SASH LOCK





REGULAR AND LARGE SIZE TRADITIONAL SOLID BRASS SASH LOCK



ANTIQUE BRASS, OIL RUBBED BRONZE, POLISHED BRASS, POLISHED NICKEL, SATIN NICKEL, UN-LAQUERED BRASS, WEATHERED BRONZE

LARGE:

DIMENSIONS. LATCH BASE: 2 7/8" L X 1" W.
CATCH BASE: 2 7/8" L X 5/8" W.
TRADITIONAL:

DIMENSIONS:

LATCH BASE: 2 9/16" L X 7/8" W. CENTER-TO-CENTER: 1-31/32" CATCH BASE: 2 1/2" L X 9/16" W. CENTER-TO-CENTER: 1-15/16"

SOLID-BRASS CRESCENT SASH LOCK

ANTIQUE BRASS, OIL RUBBED BRONZE, POLISHED BRASS,
POLISHED NICKEL, SATIN NICKEL, UN-LAQUERED BRASS, WEATHERED
BRONZE

DIMENSIONS: 2 9/16" L X 1 3/16" W. CATCH: 2 1/2" L X 1/2" W X 1 1/8" H.